


DEFEATHERING

JET SCADLER DRA 4 WAYS



DESCRIPTION

The air jet scalding machine is designed to obtain an efficient scalding of any type of bird before the defeathering and it is available from two to six passes. Each section is complete with air blowing system and heat exchanger operating with steam or hot water. The machine is built in stainless steel sheet and completed with canopy and side doors for cleaning.

TECHNICAL DATA DRA 1/2/3

| Model | DRA1 | DRA2 | DRA3 | |
|---------------------|-------|-------|-------|----------------|
| Lenght | 1.900 | 3.800 | 5.700 | mm |
| Width | 1.500 | 1.500 | 1.500 | mm |
| Chicken bath lenght | 6,20 | 13,80 | 21,40 | m |
| Boiler capacity | 110 | 220 | 330 | kw/h |
| Air blowers | 1 | 2 | 3 | N |
| Blowing power | 2,2 | 4 | 4 | kw |
| Total power | 4 | 8 | 12 | kw |
| Net weight | 1.100 | 1.395 | 1.690 | kg |
| Shipping volume | 7 | 14,3 | 21,4 | m ³ |

CONTINUA NELLA PAGINA SUCCESSIVA

TECHNICAL DATA DRA 4/5/6

| Model | DRA 4 | DRA 5 | DRA 6 | |
|---------------------|--------------|--------------|--------------|----------------|
| Lenght | 7.600 | 9.500 | 11.400 | mm |
| Width | 1.150 | 1.150 | 1.150 | mm |
| Chicken bath lenght | 29 | 36,60 | 44,20 | m |
| Boiler capacity | 440 | 550 | 660 | kw/h |
| Air blowers | 4 | 5 | 6 | N |
| Blowing power | 4 | 4 | 4 | kw |
| Total power | 16 | 20 | 24 | kw |
| Net weight | 1.985 | 2.280 | 2.575 | kg |
| Shipping volume | 28,5 | 35,6 | 42,7 | m ³ |